

Please type a plus sign (+) inside this box →



COPY OF PAPERS
ORIGINALLY FILED

PTO/SB/08A (08-00)

Approved for use through 10/31/2002. OMB 0651-0031

U.S. Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

Substitute for form 1449A/PTO INFORMATION DISCLOSURE STATEMENT BY APPLICANT <i>(use as many sheets as necessary)</i>				Complete If Known	
Sheet	1	of	1	Application Number	09/497,269
				Filing Date	February 2, 2000
				First Named Inventor	Yeung Siu Yu et al
				Group Art Unit	1655
				Examiner Name	B. Forman
				Attorney Docket Number	LIFE004

RECEIVED
MAR - 7 2002
TECH CENTER 1600/2900

U.S. PATENT DOCUMENTS					
Examiner Initials'	Cite No. ¹	U.S. Patent Documents		Name of Patentee or Applicant of Cited Documents	Date of Publication of Cited Document MM-DD-YYYY
		Number	Kind Code ² (if known)		
W	AA	5,030,310		Wogoman	07/09/1991

FOREIGN PATENT DOCUMENTS					
Examiner Initials'	Cite No. ¹	Foreign Patent Documents		Name of Patentee or Applicant of Cited Documents	Date of Publication of Cited Document MM-DD-YYYY
		Office ³	Number ⁴		
W	AB	WO	99/19507	Abbott Laboratories	04/22/1999
W	AC	EO	0 971 036 A1	Kyoto Daiichi Kagaku., Ltd.	01/12/2000

OTHER PRIOR ART—NON PATENT LITERATURE DOCUMENTS					
Examiner Initials*	Cite No. ¹	Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc.), date, page(s), volume-issue number(s), publisher, city and/or country where published.			
W	AD	Nunes et al., "Evaluation of a highly sensitive amperometric biosensor with low cholinesterase charge immobilized on a chemically modified carbon past electrode for trace determination of carbamates in fruit, vegetable and water samples," <i>Analytica Chimica Acta</i> 399:37-49 (1999)			
W	AE	Shimojo et al., "Electrochemical Assay System with Single Use Electrode Strip for Measuring Lactate in Whole Blood" <i>Clin Chem</i> 39(11):2312-2314 (1993)			

Examiner Signature	<i>[Signature]</i>	Date Considered	<i>Apr 02</i>
--------------------	--------------------	-----------------	---------------

*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

¹Unique citation designation number. ²Applicant is to place a check mark here if English language Translation is attached.

Burden Hour Statement: This form is estimated to take 2.0 hours to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Assistant Commissioner for Patents, Washington, DC 20231.